



Schärfentiefentabellen / depth of field tables

Distagon® 1.7/5mm

Digi Prime 5

Tabellen in Feet / tables in feet

Entfernung/ Distance [ft]	T / Aperture					
	1.9		2.0		2.8	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	5' 11 1/2"	inf	5' 9"	inf	4' 3"	inf
60'	5' 6 1/4"	inf	5' 4"	inf	4' 0 1/2"	inf
30'	5' 1 3/4"	inf	5' 0"	inf	3' 10 1/4"	inf
25'	5' 0 1/4"	inf	4' 10 1/2"	inf	3' 9 1/2"	inf
20'	4' 9 3/4"	inf	4' 8 1/4"	inf	3' 8 1/4"	inf
15'	4' 6 1/2"	inf	4' 5"	inf	3' 6 1/4"	inf
12'	4' 3 1/4"	inf	4' 2"	inf	3' 4 3/4"	inf
11'	4' 2"	inf	4' 0 3/4"	inf	3' 4"	inf
10'	4' 0 1/2"	inf	3' 11 1/2"	inf	3' 3"	inf
9'	3' 10 3/4"	inf	3' 10"	inf	3' 2"	inf
8'	3' 9"	inf	3' 8"	inf	3' 0 3/4"	inf
7' 1/2"	3' 7 3/4"	inf	3' 7"	inf	3' 0 1/4"	inf
7'	3' 6 1/2"	inf	3' 5 3/4"	inf	2' 11 1/2"	inf
6' 1/2"	3' 5 1/4"	inf	3' 4 1/2"	inf	2' 10 3/4"	inf
6'	3' 4"	inf	3' 3 1/4"	inf	2' 9 3/4"	inf
5' 3/4"	3' 3 1/4"	128' 8 1/4"	3' 2 1/2"	inf	2' 9 1/4"	inf
5' 1/2"	3' 2 1/4"	56' 2 1/2"	3' 1 3/4"	100' 3 1/2"	2' 8 3/4"	inf
5' 1/4"	3' 1 1/2"	34' 9 1/2"	3' 1"	47' 6 1/4"	2' 8 1/4"	inf
5'	3' 0 1/2"	24' 6 1/4"	3' 0"	30' 1 1/2"	2' 7 1/2"	inf
4' 3/4"	2' 11 3/4"	18' 6"	2' 11 1/4"	21' 5 1/2"	2' 7"	inf
4' 1/2"	2' 10 3/4"	14' 6 1/2"	2' 10 1/4"	16' 3 1/4"	2' 6 1/4"	inf
4' 1/4"	2' 9 3/4"	11' 9"	2' 9 1/4"	12' 9 3/4"	2' 5 1/2"	inf
4'	2' 8 1/2"	9' 7 3/4"	2' 8 1/4"	10' 4 1/4"	2' 4 3/4"	49' 1 3/4"
3' 3/4"	2' 7 1/2"	8' 0 1/2"	2' 7"	8' 6"	2' 4"	22' 10 1/2"
3' 1/2"	2' 6 1/4"	6' 9"	2' 5 3/4"	7' 0 3/4"	2' 3"	14' 2 3/4"
3' 1/4"	2' 4 3/4"	5' 8 1/2"	2' 4 1/2"	5' 11"	2' 2"	9' 11 1/4"
3'	2' 3 1/2"	4' 10"	2' 3 1/4"	4' 11 3/4"	2' 1"	7' 4 1/4"
2' 3/4"	2' 2"	4' 1 1/4"	2' 1 3/4"	4' 2 1/4"	1' 11 3/4"	5' 7 3/4"
2' 1/2"	2' 0 1/4"	3' 5 1/2"	2' 0 1/4"	3' 6 1/4"	1' 10 1/2"	4' 5"
2' 1/4"	1' 10 3/4"	2' 11"	1' 10 1/2"	2' 11 1/2"	1' 9 1/4"	3' 6"
2'	1' 8 3/4"	2' 5 1/4"	1' 8 3/4"	2' 5 3/4"	1' 7 3/4"	2' 9 1/2"
23"	1' 6 3/4"	2' 0 1/4"	1' 6 3/4"	2' 0 1/2"	1' 6"	2' 2 1/2"
22"	1' 6"	1' 10 3/4"	1' 6"	1' 10 3/4"	1' 5 1/4"	2' 0 1/2"

Entfernung/ Distance [ft]	T / Aperture					
	4.0		5.6		8.0	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	3' 2 1/4"	inf	2' 5 1/2"	inf	1' 11 1/4"	inf
60'	3' 1"	inf	2' 4 3/4"	inf	1' 10 3/4"	inf
30'	3' 0"	inf	2' 4 1/4"	inf	1' 10 1/2"	inf
25'	2' 11 1/2"	inf	2' 4"	inf	1' 10 1/2"	inf
20'	2' 10 3/4"	inf	2' 3 1/2"	inf	1' 10 1/4"	inf
15'	2' 9 3/4"	inf	2' 3"	inf	1' 10"	inf
12'	2' 8 3/4"	inf	2' 2 1/2"	inf	1' 9 1/2"	inf
11'	2' 8 1/4"	inf	2' 2 1/4"	inf	1' 9 1/2"	inf
10'	2' 7 3/4"	inf	2' 2"	inf	1' 9 1/4"	inf
9'	2' 7 1/4"	inf	2' 1 3/4"	inf	1' 9 1/4"	inf
8'	2' 6 1/2"	inf	2' 1 1/4"	inf	1' 9"	inf
7' 1/2"	2' 6 1/4"	inf	2' 1"	inf	1' 8 3/4"	inf
7'	2' 5 3/4"	inf	2' 0 3/4"	inf	1' 8 3/4"	inf
6' 1/2"	2' 5 1/4"	inf	2' 0 1/2"	inf	1' 8 1/2"	inf
6'	2' 4 1/2"	inf	2' 0"	inf	1' 8 1/4"	inf
5' 3/4"	2' 4 1/4"	inf	1' 11 3/4"	inf	1' 8 1/4"	inf
5' 1/2"	2' 4"	inf	1' 11 3/4"	inf	1' 8"	inf
5' 1/4"	2' 3 1/2"	inf	1' 11 1/2"	inf	1' 8"	inf
5'	2' 3 1/4"	inf	1' 11 1/4"	inf	1' 7 3/4"	inf
4' 3/4"	2' 2 3/4"	inf	1' 11"	inf	1' 7 1/2"	inf
4' 1/2"	2' 2 1/4"	inf	1' 10 3/4"	inf	1' 7 1/2"	inf
4' 1/4"	2' 1 3/4"	inf	1' 10 1/4"	inf	1' 7 1/4"	inf
4'	2' 1 1/4"	inf	1' 10"	inf	1' 7"	inf
3' 3/4"	2' 0 3/4"	inf	1' 9 1/2"	inf	1' 6 3/4"	inf
3' 1/2"	2' 0"	inf	1' 9 1/4"	inf	1' 6 1/2"	inf
3' 1/4"	1' 11 1/4"	inf	1' 8 3/4"	inf	1' 6 1/4"	inf
3'	1' 10 1/2"	31' 1"	1' 8 1/4"	inf	1' 5 3/4"	inf
2' 3/4"	1' 9 3/4"	12' 6"	1' 7 1/2"	inf	1' 5 1/2"	inf
2' 1/2"	1' 8 3/4"	7' 4"	1' 6 3/4"	inf	1' 5"	inf
2' 1/4"	1' 7 3/4"	4' 10 3/4"	1' 6"	14' 6 1/2"	1' 4 1/2"	inf
2'	1' 6 1/2"	3' 5 3/4"	1' 5 1/4"	5' 10 3/4"	1' 3 3/4"	inf
23"	1' 5"	2' 6 3/4"	1' 4"	3' 4 3/4"	1' 3"	8' 2 1/4"
22"	1' 4 1/2"	2' 3 1/2"	1' 3 3/4"	2' 10 3/4"	1' 2 3/4"	5' 3 1/4"



Entfernung/ Distance [ft]	T / Aperture			
	11.3		16.0	
	von / from	bis / to	von / from	bis / to
inf	1' 6 3/4"	inf	1' 3 1/2"	inf
60'	1' 6 1/2"	inf	1' 3 1/2"	inf
30'	1' 6 1/2"	inf	1' 3 1/2"	inf
25'	1' 6 1/4"	inf	1' 3 1/2"	inf
20'	1' 6 1/4"	inf	1' 3 1/4"	inf
15'	1' 6"	inf	1' 3 1/4"	inf
12'	1' 6"	inf	1' 3 1/4"	inf
11'	1' 5 3/4"	inf	1' 3 1/4"	inf
10'	1' 5 3/4"	inf	1' 3"	inf
9'	1' 5 3/4"	inf	1' 3"	inf
8'	1' 5 1/2"	inf	1' 3"	inf
7' 1/2"	1' 5 1/2"	inf	1' 3"	inf
7'	1' 5 1/2"	inf	1' 3"	inf
6' 1/2"	1' 5 1/4"	inf	1' 2 3/4"	inf
6'	1' 5 1/4"	inf	1' 2 3/4"	inf
5' 3/4"	1' 5"	inf	1' 2 3/4"	inf
5' 1/2"	1' 5"	inf	1' 2 3/4"	inf
5' 1/4"	1' 5"	inf	1' 2 3/4"	inf
5'	1' 5"	inf	1' 2 3/4"	inf
4' 3/4"	1' 4 3/4"	inf	1' 2 1/2"	inf
4' 1/2"	1' 4 3/4"	inf	1' 2 1/2"	inf
4' 1/4"	1' 4 1/2"	inf	1' 2 1/2"	inf
4'	1' 4 1/2"	inf	1' 2 1/2"	inf
3' 3/4"	1' 4 1/4"	inf	1' 2 1/4"	inf
3' 1/2"	1' 4 1/4"	inf	1' 2 1/4"	inf
3' 1/4"	1' 4"	inf	1' 2"	inf
3'	1' 3 3/4"	inf	1' 2"	inf
2' 3/4"	1' 3 1/2"	inf	1' 1 3/4"	inf
2' 1/2"	1' 3 1/4"	inf	1' 1 3/4"	inf
2' 1/4"	1' 2 3/4"	inf	1' 1 1/2"	inf
2'	1' 2 1/2"	inf	1' 1 1/4"	inf
23"	1' 2"	inf	1' 0 3/4"	inf
22"	1' 1 3/4"	inf	1' 0 3/4"	inf



Schärfentiefentabellen / depth of field tables

Distagon® 1.5/7mm

Digi Prime 7

Tabellen in Feet / tables in feet

Entfernung/ Distance [ft]	T / Aperture					
	1.6		2.0		2.8	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	12' 1	inf	9' 11 3/4"	inf	7' 2 1/4"	inf
60'	10' 2 3/4"	inf	8' 8 1/4"	inf	6' 6 1/2"	inf
30'	8' 10 1/4"	inf	7' 8 1/2"	inf	5' 11 3/4"	inf
25'	8' 5	inf	7' 4 1/2"	inf	5' 9 1/2"	inf
20'	7' 9 3/4"	inf	6' 11	inf	5' 6 1/4"	inf
15'	7' 0	inf	6' 3 1/4"	inf	5' 1 1/2"	inf
12'	6' 4	1786' 10 1/4"	5' 9	inf	4' 9 1/4"	inf
11'	6' 0 3/4"	111' 8 1/4"	5' 6 1/2"	inf	4' 7 3/4"	inf
10'	5' 9 1/4"	52' 7	5' 3 1/2"	inf	4' 5 3/4"	inf
9'	5' 5 1/2"	31' 11 1/4"	5' 0 1/2"	82' 9 1/4"	4' 3 1/2"	inf
8'	5' 1 1/4"	21' 5	4' 8 3/4"	35' 11 3/4"	4' 1	inf
7 1/2"	4' 11	17' 10 3/4"	4' 7	26' 10 1/4"	3' 11 3/4"	inf
7'	4' 8 1/2"	15' 0 3/4"	4' 4 3/4"	20' 10	3' 10 1/4"	240' 9
6 1/2"	4' 6	12' 8 3/4"	4' 2 3/4"	16' 6 3/4"	3' 8 1/2"	57' 11 3/4"
6'	4' 3 1/4"	10' 9 1/2"	4' 0 1/4"	13' 4 1/4"	3' 6 3/4"	30' 9 1/4"
5 3/4"	4' 2	9' 11 1/4"	3' 11	12' 0 1/2"	3' 6	24' 4
5 1/2"	4' 0 1/2"	9' 1 3/4"	3' 9 3/4"	10' 10 1/2"	3' 5	19' 9 3/4"
5 1/4"	3' 11	8' 5	3' 8 1/2"	9' 10	3' 4	16' 5 1/2"
5'	3' 9 1/2"	7' 8 3/4"	3' 7 1/4"	8' 10 3/4"	3' 3	13' 10 1/2"
4 3/4"	3' 7 3/4"	7' 1 1/4"	3' 5 3/4"	8' 0 1/2"	3' 1 3/4"	11' 10
4 1/2"	3' 6 1/4"	6' 6	3' 4 1/4"	7' 3 1/4"	3' 0 3/4"	10' 2
4 1/4"	3' 4 1/2"	5' 11 1/2"	3' 2 3/4"	6' 7	2' 11 1/2"	8' 9 1/2"
4'	3' 2 3/4"	5' 5 1/4"	3' 1 1/4"	5' 11 1/4"	2' 10 1/4"	7' 7 1/2"
3 3/4"	3' 1	4' 11 1/4"	2' 11 1/2"	5' 4 1/4"	2' 8 3/4"	6' 7 3/4"
3 1/2"	2' 11	4' 5 3/4"	2' 9 3/4"	4' 9 1/2"	2' 7 1/2"	5' 9 1/4"
3 1/4"	2' 9	4' 0 1/2"	2' 8	4' 3 1/2"	2' 6	5' 0 1/2"
3'	2' 7	3' 7 1/2"	2' 6 1/4"	3' 10	2' 4 1/4"	4' 4 1/2"
2 3/4"	2' 5	3' 3	2' 4 1/4"	3' 4 3/4"	2' 2 3/4"	3' 9 1/2"
2 1/2"	2' 2 3/4"	2' 10 1/2"	2' 2 1/4"	2' 11 3/4"	2' 1	3' 3 1/4"
2 1/4"	2' 0 1/2"	2' 6 1/4"	2' 0	2' 7 1/4"	1' 11	2' 9 1/2"
2'	1' 10 1/4"	2' 2 1/4"	1' 9 3/4"	2' 3	1' 9	2' 4 1/2"
2 3/4"	1' 9 1/2"	2' 1	1' 9	2' 1 1/2"	1' 8 1/2"	2' 3
2 2/4"	1' 8 1/2"	1' 11 3/4"	1' 8 1/4"	2' 0 1/4"	1' 7 3/4"	2' 1 1/4"
2 1/4"	1' 7 3/4"	1' 10 1/2"	1' 7 1/2"	1' 11	1' 7	2' 0
2 0/4"	1' 6 3/4"	1' 9 1/4"	1' 6 3/4"	1' 9 1/2"	1' 6 1/4"	1' 10 1/4"

Entfernung/ Distance [ft]	T / Aperture					
	4.0		5.6		8.0	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	5' 3	inf	3' 10 3/4"	inf	2' 11	inf
60'	4' 11	inf	3' 8 1/2"	inf	2' 10	inf
30'	4' 7 1/2"	inf	3' 6 3/4"	inf	2' 9	inf
25'	4' 6	inf	3' 6	inf	2' 8 3/4"	inf
20'	4' 4 1/4"	inf	3' 5	inf	2' 8 1/4"	inf
15'	4' 1 1/2"	inf	3' 3 1/4"	inf	2' 7 1/4"	inf
12'	3' 10 3/4"	inf	3' 1 3/4"	inf	2' 6 1/2"	inf
11'	3' 9 3/4"	inf	3' 1 1/4"	inf	2' 6	inf
10'	3' 8 1/2"	inf	3' 0 1/2"	inf	2' 5 1/2"	inf
9'	3' 7 1/4"	inf	2' 11 1/2"	inf	2' 5	inf
8'	3' 5 1/2"	inf	2' 10 1/2"	inf	2' 4 1/2"	inf
7 1/2"	3' 4 1/2"	inf	2' 10	inf	2' 4	inf
7'	3' 3 1/2"	inf	2' 9 1/4"	inf	2' 3 3/4"	inf
6 1/2"	3' 2 1/2"	inf	2' 8 1/2"	inf	2' 3 1/4"	inf
6'	3' 1 1/4"	inf	2' 7 3/4"	inf	2' 2 3/4"	inf
5 3/4"	3' 0 1/2"	inf	2' 7 1/4"	inf	2' 2 1/2"	inf
5 1/2"	2' 11 3/4"	inf	2' 6 3/4"	inf	2' 2 1/4"	inf
5 1/4"	2' 11 1/4"	inf	2' 6 1/4"	inf	2' 1 3/4"	inf
5'	2' 10 1/4"	88' 5	2' 5 3/4"	inf	2' 1 1/2"	inf
4 3/4"	2' 9 1/2"	40' 5 1/4"	2' 5 1/4"	inf	2' 1	inf
4 1/2"	2' 8 3/4"	25' 2 3/4"	2' 4 3/4"	inf	2' 0 3/4"	inf
4 1/4"	2' 7 3/4"	17' 9 1/2"	2' 4	inf	2' 0 1/4"	inf
4'	2' 6 3/4"	13' 4 1/4"	2' 3 1/4"	inf	1' 11 3/4"	inf
3 3/4"	2' 5 3/4"	10' 5	2' 2 1/2"	87' 8 1/2"	1' 11 1/4"	inf
3 1/2"	2' 4 3/4"	8' 4	2' 1 3/4"	26' 3 1/2"	1' 10 3/4"	inf
3 1/4"	2' 3 1/2"	6' 9 1/4"	2' 0 3/4"	14' 6 3/4"	1' 10	inf
3'	2' 2 1/4"	5' 6 3/4"	2' 0	9' 7 1/4"	1' 9 1/2"	inf
2 3/4"	2' 0 3/4"	4' 7 1/4"	1' 10 3/4"	6' 10 1/2"	1' 8 3/4"	31' 11 1/2"
2 1/2"	1' 11 1/2"	3' 9 3/4"	1' 9 3/4"	5' 1 1/2"	1' 7 3/4"	11' 3 3/4"
2 1/4"	1' 9 3/4"	3' 2	1' 8 1/2"	3' 11	1' 6 3/4"	6' 4 1/4"
2'	1' 8 1/4"	2' 7 1/4"	1' 7	3' 0 1/2"	1' 5 3/4"	4' 1 3/4"
23"	1' 7 1/2"	2' 5 1/4"	1' 6 1/2"	2' 9 3/4"	1' 5 1/4"	3' 8
22"	1' 7	2' 3 1/4"	1' 6	2' 6 3/4"	1' 5	3' 2 3/4"
21"	1' 6 1/4"	2' 1 1/2"	1' 5 1/2"	2' 4 1/2"	1' 4 1/2"	2' 10 1/2"
20"	1' 5 1/2"	1' 11 3/4"	1' 4 3/4"	2' 2	1' 4	2' 6 1/2"



Entfernung/ Distance [ft]	T / Aperture					
	11.3		16.0			
	von / from	bis / to	von / from	bis / to		
inf	2' 3	inf	1' 9 1/4"	inf		
60'	2' 2 1/2"	inf	1' 9	inf		
30'	2' 2	inf	1' 8 3/4"	inf		
25'	2' 1 3/4"	inf	1' 8 1/2"	inf		
20'	2' 1 1/2"	inf	1' 8 1/2"	inf		
15'	2' 1	inf	1' 8 1/4"	inf		
12'	2' 0 1/2"	inf	1' 8	inf		
11'	2' 0 1/4"	inf	1' 7 3/4"	inf		
10'	2' 0	inf	1' 7 3/4"	inf		
9'	1' 11 3/4"	inf	1' 7 1/2"	inf		
8'	1' 11 1/2"	inf	1' 7 1/4"	inf		
7 1/2"	1' 11 1/4"	inf	1' 7 1/4"	inf		
7'	1' 11	inf	1' 7	inf		
6 1/2"	1' 10 3/4"	inf	1' 7	inf		
6'	1' 10 1/2"	inf	1' 6 3/4"	inf		
5 3/4"	1' 10 1/4"	inf	1' 6 3/4"	inf		
5 1/2"	1' 10	inf	1' 6 1/2"	inf		
5 1/4"	1' 9 3/4"	inf	1' 6 1/2"	inf		
5'	1' 9 1/2"	inf	1' 6 1/4"	inf		
4 3/4"	1' 9 1/2"	inf	1' 6 1/4"	inf		
4 1/2"	1' 9 1/4"	inf	1' 6	inf		
4 1/4"	1' 8 3/4"	inf	1' 5 3/4"	inf		
4'	1' 8 1/2"	inf	1' 5 3/4"	inf		
3 3/4"	1' 8 1/4"	inf	1' 5 1/2"	inf		
3 1/2"	1' 7 3/4"	inf	1' 5 1/4"	inf		
3 1/4"	1' 7 1/2"	inf	1' 5	inf		
3'	1' 7	inf	1' 4 3/4"	inf		
2 3/4"	1' 6 1/2"	inf	1' 4 1/4"	inf		
2 1/2"	1' 5 3/4"	inf	1' 4	inf		
2 1/4"	1' 5 1/4"	inf	1' 3 1/2"	inf		
2'	1' 4 1/4"	10' 5 1/2"	1' 3	inf		
23"	1' 4	7' 6	1' 2 3/4"	inf		
22"	1' 3 3/4"	5' 7	1' 2 1/2"	inf		
21"	1' 3 1/4"	4' 5 3/4"	1' 2 1/4"	1112' 8 1/2"		
20"	1' 3	3' 7 1/4"	1' 2	13' 10		



Schärfentiefentabellen / depth of field tables

Distagon® 1.5/10mm

Digi Prime 10

Tabellen in Feet / tables in feet

Entfernung/ Distance [ft]	T / Aperture					
	1.6		2.0		2.8	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	23' 8 1/4"	inf	19' 4	inf	13' 9 1/4"	inf
60'	17' 2 1/2"	inf	14' 10	inf	11' 4 1/2"	inf
30'	13' 6 1/4"	inf	12' 0 1/4"	inf	9' 8 1/4"	inf
25'	12' 5 1/4"	inf	11' 2 1/4"	inf	9' 1 3/4"	inf
20'	11' 1 1/2"	123' 9 1/4"	10' 1 1/4"	inf	8' 5 1/4"	inf
15'	9' 5 1/2"	39' 1 1/4"	8' 8 3/4"	63' 7	7' 5 1/2"	inf
12'	8' 2 1/2"	23' 2 3/4"	7' 8	29' 11 1/4"	6' 8 1/4"	87' 11
11'	7' 9	19' 7 1/4"	7' 3 1/4"	24' 1 1/2"	6' 4 3/4"	50' 11 3/4"
10'	7' 3 1/4"	16' 6 1/4"	6' 10 1/4"	19' 7	6' 0 3/4"	33' 10 3/4"
9'	6' 9	13' 10 1/4"	6' 4 3/4"	15' 11	5' 8 1/2"	24' 0 3/4"
8'	6' 2 1/4"	11' 6 1/4"	5' 10 3/4"	12' 10 3/4"	5' 4	17' 7 3/4"
7' 1/2"	5' 10 3/4"	10' 5 3/4"	5' 7 1/2"	11' 7	5' 1 1/4"	15' 2 3/4"
7'	5' 7 1/4"	9' 5 3/4"	5' 4 1/4"	10' 4 1/2"	4' 10 3/4"	13' 1 3/4"
6' 1/2"	5' 3 1/2"	8' 6 3/4"	5' 1	9' 3	4' 8	11' 4 1/2"
6'	4' 11 1/2"	7' 8	4' 9 1/4"	8' 2 3/4"	4' 5	9' 9 3/4"
5' 3/4"	4' 9 1/2"	7' 3	4' 7 1/2"	7' 8 3/4"	4' 3 1/2"	9' 1 1/2"
5' 1/2"	4' 7 1/2"	6' 10	4' 5 3/4"	7' 3 1/4"	4' 2	8' 5 1/2"
5' 1/4"	4' 5 1/2"	6' 5 1/4"	4' 3 3/4"	6' 9 3/4"	4' 0 1/4"	7' 10
5'	4' 3 1/2"	6' 0 3/4"	4' 1 3/4"	6' 4 1/2"	3' 10 3/4"	7' 3
4' 3/4"	4' 1 1/4"	5' 8	3' 11 3/4"	5' 11 1/2"	3' 9	6' 8 1/2"
4' 1/2"	3' 11 1/4"	5' 3 3/4"	3' 9 3/4"	5' 6 1/2"	3' 7 1/4"	6' 2
4' 1/4"	3' 9	4' 11 1/2"	3' 7 3/4"	5' 1 3/4"	3' 5 1/4"	5' 8 1/4"
4'	3' 6 3/4"	4' 7 1/4"	3' 5 3/4"	4' 9 1/4"	3' 3 1/2"	5' 2 1/2"
3' 3/4"	3' 4 1/2"	4' 3	3' 3 1/2"	4' 4 3/4"	3' 1 1/2"	4' 9 1/4"
3' 1/2"	3' 2	3' 11	3' 1 1/4"	4' 0 1/2"	2' 11 1/2"	4' 4
3' 1/4"	2' 11 3/4"	3' 7 1/4"	2' 11	3' 8 1/2"	2' 9 1/2"	3' 11 1/4"
3'	2' 9 1/4"	3' 3 1/2"	2' 8 3/4"	3' 4 1/4"	2' 7 1/2"	3' 6 1/2"
2' 3/4"	2' 6 3/4"	2' 11 3/4"	2' 6 1/4"	3' 0 1/2"	2' 5 1/4"	3' 2 1/4"
2' 1/2"	2' 4 1/4"	2' 8	2' 3 3/4"	2' 8 3/4"	2' 3	2' 10
2' 1/4"	2' 1 3/4"	2' 4 1/2"	2' 1 1/4"	2' 5	2' 0 3/4"	2' 6
2'	1' 11	2' 1 1/4"	1' 10 3/4"	2' 1 1/2"	1' 10 1/4"	2' 2
23"	1' 10 1/4"	2' 0	1' 10	2' 0 1/4"	1' 9 1/2"	2' 1
22"	1' 9 1/4"	1' 10 3/4"	1' 9	1' 11	1' 8 3/4"	1' 11 1/2"
21"	1' 8 1/4"	1' 9 3/4"	1' 8 1/4"	1' 10	1' 7 3/4"	1' 10 1/2"
20"	1' 7 1/4"	1' 8 1/2"	1' 7 1/4"	1' 8 3/4"	1' 7	1' 9

Entfernung/ Distance [ft]	T / Aperture					
	4.0		5.6		8.0	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	9' 10 1/2"	inf	7' 1 3/4"	inf	5' 2 3/4"	inf
60'	8' 7 1/4"	inf	6' 5 3/4"	inf	4' 10 1/2"	inf
30'	7' 7 3/4"	inf	5' 11 1/4"	inf	4' 7"	inf
25'	7' 3 3/4"	inf	5' 9"	inf	4' 5 3/4"	inf
20'	6' 10 1/4"	inf	5' 5 3/4"	inf	4' 3 3/4"	inf
15'	6' 2 3/4"	inf	5' 1"	inf	4' 1"	inf
12'	5' 8 1/2"	inf	4' 9"	inf	3' 10 1/2"	inf
11'	5' 5 3/4"	inf	4' 7 1/4"	inf	3' 9 1/2"	inf
10'	5' 3"	inf	4' 5 1/4"	inf	3' 8 1/4"	inf
9'	5' 0"	94' 7 1/2"	4' 3 1/4"	inf	3' 6 3/4"	inf
8'	4' 8 1/2"	38' 2"	4' 0 3/4"	inf	3' 5 1/4"	inf
7' 1/2"	4' 6 1/2"	28' 1 1/2"	3' 11 1/4"	inf	3' 4 1/4"	inf
7'	4' 4 1/2"	21' 7 1/4"	3' 9 3/4"	422' 2 1/4"	3' 3 1/4"	inf
6' 1/2"	4' 2 1/4"	17' 0 3/4"	3' 8 1/4"	65' 2"	3' 2"	inf
6'	4' 0"	13' 8 1/2"	3' 6 1/2"	32' 9 3/4"	3' 1"	inf
5' 3/4"	3' 10 3/4"	12' 4"	3' 5 1/2"	25' 7 3/4"	3' 0 1/4"	inf
5' 1/2"	3' 9 1/2"	11' 1 1/4"	3' 4 3/4"	20' 8 1/2"	2' 11 1/2"	inf
5' 1/4"	3' 8 1/4"	10' 0 1/2"	3' 3 3/4"	17' 1 1/4"	2' 10 3/4"	inf
5'	3' 6 3/4"	9' 0 3/4"	3' 2 1/2"	14' 4 1/4"	2' 10"	116' 2 1/2"
4' 3/4"	3' 5 1/2"	8' 2 1/4"	3' 1 1/2"	12' 2 1/4"	2' 9 1/4"	45' 8 3/4"
4' 1/2"	3' 4"	7' 4 3/4"	3' 0 1/4"	10' 5 1/4"	2' 8 1/2"	27' 4"
4' 1/4"	3' 2 1/2"	6' 8 1/4"	2' 11 1/4"	9' 0"	2' 7 1/2"	18' 10 1/2"
4'	3' 1"	6' 0 1/4"	2' 10"	7' 9 1/2"	2' 6 1/2"	14' 0"
3' 3/4"	2' 11 1/4"	5' 5"	2' 8 1/2"	6' 9 1/4"	2' 5 1/2"	10' 10"
3' 1/2"	2' 9 1/2"	4' 10 1/4"	2' 7 1/4"	5' 10 1/2"	2' 4 1/2"	8' 7 1/2"
3' 1/4"	2' 7 3/4"	4' 4"	2' 5 3/4"	5' 1 1/2"	2' 3 1/4"	6' 11 3/4"
3'	2' 6"	3' 10 1/4"	2' 4 1/4"	4' 5 1/4"	2' 2"	5' 8 1/2"
2' 3/4"	2' 4"	3' 5"	2' 2 1/2"	3' 10"	2' 0 3/4"	4' 8 1/2"
2' 1/2"	2' 2"	3' 0"	2' 0 3/4"	3' 3 3/4"	1' 11 1/4"	3' 10 3/4"
2' 1/4"	2' 0"	2' 7 1/2"	1' 11"	2' 10"	1' 9 3/4"	3' 2 1/2"
2'	1' 9 3/4"	2' 3 1/4"	1' 9"	2' 4 3/4"	1' 8"	2' 7 3/4"
23"	1' 9"	2' 1 3/4"	1' 8 1/4"	2' 3 1/4"	1' 7 1/2"	2' 5 3/4"
22"	1' 8 1/4"	2' 0 1/4"	1' 7 1/2"	2' 1 1/2"	1' 6 3/4"	2' 3 3/4"
21"	1' 7 1/2"	1' 11"	1' 6 3/4"	2' 0"	1' 6 1/4"	2' 1 3/4"
20"	1' 6 1/2"	1' 9 3/4"	1' 6"	1' 10 1/2"	1' 5 1/2"	2' 0"



Entfernung/ Distance [ft]	T / Aperture					
	11.3		16.0			
	von / from	bis / to	von / from	bis / to		
inf	3' 10 1/4"	inf	2' 10 3/4"	inf		
60'	3' 8 1/4"	inf	2' 9 3/4"	inf		
30'	3' 6 1/4"	inf	2' 8 3/4"	inf		
25'	3' 5 3/4"	inf	2' 8 1/2"	inf		
20'	3' 4 1/2"	inf	2' 7 3/4"	inf		
15'	3' 3	inf	2' 7	inf		
12'	3' 1 1/2"	inf	2' 6	inf		
11'	3' 0 3/4"	inf	2' 5 3/4"	inf		
10'	3' 0	inf	2' 5 1/4"	inf		
9'	2' 11 1/4"	inf	2' 4 3/4"	inf		
8'	2' 10 1/4"	inf	2' 4 1/4"	inf		
7'1/2"	2' 9 1/2"	inf	2' 3 3/4"	inf		
7'	2' 9	inf	2' 3 1/2"	inf		
6'1/2"	2' 8 1/4"	inf	2' 3	inf		
6'	2' 7 1/2"	inf	2' 2 1/2"	inf		
5'3/4"	2' 7	inf	2' 2 1/4"	inf		
5'1/2"	2' 6 1/2"	inf	2' 1 3/4"	inf		
5'1/4"	2' 6	inf	2' 1 1/2"	inf		
5'	2' 5 1/2"	inf	2' 1 1/4"	inf		
4'3/4"	2' 5	inf	2' 0 3/4"	inf		
4'1/2"	2' 4 1/4"	inf	2' 0 1/2"	inf		
4'1/4"	2' 3 3/4"	inf	2' 0	inf		
4'	2' 3	inf	1' 11 1/2"	inf		
3'3/4"	2' 2 1/4"	149' 7 1/4"	1' 11	inf		
3'1/2"	2' 1 1/2"	30' 4 1/2"	1' 10 1/2"	inf		
3'1/4"	2' 0 1/2"	15' 10 1/4"	1' 9 3/4"	inf		
3'	1' 11 1/2"	10' 2 1/2"	1' 9 1/4"	inf		
2'3/4"	1' 10 1/2"	7' 2 1/4"	1' 8 1/4"	45' 6 1/2"		
2'1/2"	1' 9 1/2"	5' 3 3/4"	1' 7 1/2"	12' 9 3/4"		
2'1/4"	1' 8 1/4"	4' 0 1/2"	1' 6 1/2"	6' 10 1/4"		
2'	1' 6 3/4"	3' 1 1/2"	1' 5 1/2"	4' 4 1/2"		
23"	1' 6 1/4"	2' 10 1/2"	1' 5	3' 10 1/4"		
22"	1' 5 3/4"	2' 7 1/2"	1' 4 3/4"	3' 4 1/2"		
21"	1' 5 1/4"	2' 5	1' 4 1/4"	3' 0		
20"	1' 4 3/4"	2' 2 1/2"	1' 3 3/4"	2' 7 3/4"		



Schärfentiefentabellen / depth of field tables

Distagon® 1.5/14mm

Digi Prime 14

Tabellen in Feet / tables in feet

Entfernung/ Distance [ft]	T / Aperture					
	1.6		2.0		2.8	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	45' 5 1/4"	inf	36' 7 1/4"	inf	25' 10	inf
60'	26' 1 1/4"	inf	22' 11 3/4"	inf	18' 3 1/4"	inf
30'	18' 3 3/4"	86' 4 1/4"	16' 9	161' 11 1/2"	14' 1 3/4"	inf
25'	16' 4 1/2"	54' 4 1/4"	15' 1 1/4"	76' 8 3/4"	12' 11 1/2"	764' 6
20'	14' 1 1/4"	34' 11 1/4"	13' 2	42' 10 1/2"	11' 6 1/4"	85' 3 3/4"
15'	11' 5 3/4"	21' 10 3/4"	10' 10 1/4"	24' 8 1/2"	9' 8 3/4"	34' 4 3/4"
12'	9' 8	15' 11 1/4"	9' 2 3/4"	17' 4 1/4"	8' 5	21' 6 1/2"
11'	9' 0 1/4"	14' 2 1/4"	8' 7 3/4"	15' 3 1/2"	7' 11 1/4"	18' 5
10'	8' 4 1/4"	12' 6 1/2"	8' 0 1/4"	13' 4 1/2"	7' 5	15' 8 1/4"
9'	7' 7 3/4"	10' 11 3/4"	7' 4 3/4"	11' 7 1/4"	6' 10 1/2"	13' 3 1/4"
8'	6' 11 1/4"	9' 6	6' 8 1/2"	9' 11 1/2"	6' 3 1/2"	11' 1 3/4"
7' 1/2"	6' 6 3/4"	8' 9 1/2"	6' 4 1/2"	9' 2	6' 0	10' 2
7'	6' 2 1/4"	8' 1	6' 0 1/4"	8' 5	5' 8 1/4"	9' 2 3/4"
6' 1/2"	5' 9 1/2"	7' 5	5' 7 3/4"	7' 8 1/4"	5' 4 1/4"	8' 4 1/4"
6'	5' 4 3/4"	6' 9 1/4"	5' 3 1/4"	6' 11 3/4"	5' 0 1/4"	7' 6 1/4"
5' 3/4"	5' 2 1/2"	6' 5 1/4"	5' 1	6' 7 3/4"	4' 10 1/4"	7' 1 1/4"
5' 1/2"	5' 0	6' 1 1/2"	4' 10 3/4"	6' 3 1/2"	4' 8 1/4"	6' 8 3/4"
5' 1/4"	4' 9 1/2"	5' 9 3/4"	4' 8 1/2"	5' 11 1/2"	4' 6	6' 4
5'	4' 7 1/4"	5' 6	4' 6	5' 7 1/2"	4' 4	5' 11 1/2"
4' 3/4"	4' 4 3/4"	5' 2 1/4"	4' 3 3/4"	5' 3 3/4"	4' 1 3/4"	5' 7 1/4"
4' 1/2"	4' 2	4' 10 3/4"	4' 1 1/4"	5' 0	3' 11 1/2"	5' 3
4' 1/4"	3' 11 1/2"	4' 7	3' 10 3/4"	4' 8 1/4"	3' 9 1/4"	4' 10 3/4"
4'	3' 9	4' 3 1/2"	3' 8 1/4"	4' 4 1/2"	3' 7	4' 6 3/4"
3' 3/4"	3' 6 1/2"	4' 0	3' 5 3/4"	4' 0 3/4"	3' 4 1/2"	4' 2 3/4"
3' 1/2"	3' 3 3/4"	3' 8 1/2"	3' 3 1/4"	3' 9 1/4"	3' 2 1/4"	3' 10 3/4"
3' 1/4"	3' 1	3' 5	3' 0 3/4"	3' 5 3/4"	2' 11 3/4"	3' 7
3'	2' 10 1/2"	3' 1 3/4"	2' 10	3' 2 1/4"	2' 9 1/4"	3' 3 1/4"
2' 3/4"	2' 7 3/4"	2' 10 1/2"	2' 7 1/2"	2' 10 3/4"	2' 6 3/4"	2' 11 1/2"
2' 1/2"	2' 5	2' 7	2' 4 3/4"	2' 7 1/2"	2' 4 1/4"	2' 8
2' 1/4"	2' 2 1/4"	2' 3 3/4"	2' 2	2' 4	2' 1 3/4"	2' 4 1/2"
2'	1' 11 1/2"	2' 0 1/2"	1' 11 1/4"	2' 0 3/4"	1' 11	2' 1
23"	1' 10 1/2"	1' 11 1/2"	1' 10 1/2"	1' 11 3/4"	1' 10 1/4"	2' 0
22"	1' 9 1/2"	1' 10 1/2"	1' 9 1/2"	1' 10 1/2"	1' 9 1/4"	1' 10 3/4"
21"	1' 8 1/2"	1' 9 1/2"	1' 8 1/2"	1' 9 1/2"	1' 8 1/4"	1' 9 3/4"
20"	1' 7 1/2"	1' 8 1/4"	1' 7 1/2"	1' 8 1/4"	1' 7 1/4"	1' 8 1/2"

Entfernung/ Distance [ft]	T / Aperture					
	4.0		5.6		8.0	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	18' 4	inf	13' 1 1/4"	inf	9' 4 3/4"	inf
60'	14' 2 3/4"	inf	10' 10 3/4"	inf	8' 3	inf
30'	11' 7 1/2"	inf	9' 4	inf	7' 4 1/4"	inf
25'	10' 10	inf	8' 10	inf	7' 0 1/2"	inf
20'	9' 10	inf	8' 2	inf	6' 7 1/2"	inf
15'	8' 6	78' 2 1/4"	7' 3	inf	6' 0 1/4"	inf
12'	7' 6	32' 10 1/4"	6' 6 1/4"	134' 8 3/4"	5' 6 1/4"	inf
11'	7' 1 1/2"	26' 0	6' 2 3/4"	63' 11 1/2"	5' 4	inf
10'	6' 8 1/2"	20' 9 3/4"	5' 11	39' 2 3/4"	5' 1 1/4"	inf
9'	6' 3 1/4"	16' 8 1/2"	5' 7	26' 7 3/4"	4' 10 1/4"	196' 3
8'	5' 9 1/2"	13' 5	5' 2 1/2"	19' 0 1/4"	4' 7	48' 5
7' 1/2"	5' 6 1/2"	12' 0	5' 0	16' 3	4' 5 1/4"	33' 4 1/4"
7'	5' 3 1/4"	10' 8 1/2"	4' 9 1/2"	13' 11	4' 3 1/4"	24' 7 1/4"
6' 1/2"	5' 0	9' 6 1/4"	4' 6 3/4"	11' 11 1/4"	4' 1 1/4"	18' 10 3/4"
6'	4' 8 1/2"	8' 5 1/4"	4' 4	10' 3	3' 11	14' 10 1/2"
5' 3/4"	4' 6 3/4"	7' 11	4' 2 1/2"	9' 5 3/4"	3' 9 3/4"	13' 3 1/4"
5' 1/2"	4' 5	7' 5 1/4"	4' 1	8' 9 1/4"	3' 8 1/2"	11' 10 1/2"
5' 1/4"	4' 3	6' 11 1/2"	3' 11 1/2"	8' 1 1/4"	3' 7 1/4"	10' 8
5'	4' 1 1/4"	6' 6	3' 10	7' 5 3/4"	3' 6	9' 7
4' 3/4"	3' 11 1/4"	6' 0 3/4"	3' 8 1/4"	6' 10 3/4"	3' 4 3/4"	8' 7 1/4"
4' 1/2"	3' 9 1/4"	5' 7 3/4"	3' 6 1/2"	6' 4 1/4"	3' 3 1/4"	7' 9
4' 1/4"	3' 7 1/4"	5' 2 3/4"	3' 4 3/4"	5' 10	3' 1 3/4"	6' 11 1/2"
4'	3' 5 1/4"	4' 10 1/4"	3' 3	5' 4	3' 0 1/4"	6' 3
3' 3/4"	3' 3	4' 5 1/2"	3' 1	4' 10 1/2"	2' 10 3/4"	5' 7 1/4"
3' 1/2"	3' 1	4' 1 1/4"	2' 11 1/4"	4' 5 1/4"	2' 9	5' 0
3' 1/4"	2' 10 3/4"	3' 9	2' 9 1/4"	4' 0	2' 7 1/4"	4' 5 1/2"
3'	2' 8 1/4"	3' 4 3/4"	2' 7	3' 7 1/4"	2' 5 1/2"	3' 11 1/2"
2' 3/4"	2' 6	3' 0 3/4"	2' 5	3' 2 3/4"	2' 3 3/4"	3' 6
2' 1/2"	2' 3 1/2"	2' 9	2' 2 3/4"	2' 10 1/2"	2' 1 3/4"	3' 0 3/4"
2' 1/4"	2' 1 1/4"	2' 5 1/4"	2' 0 1/2"	2' 6 1/4"	1' 11 1/2"	2' 8
2'	1' 10 3/4"	2' 1 1/2"	1' 10 1/4"	2' 2 1/4"	1' 9 1/2"	2' 3 1/2"
23"	1' 9 3/4"	2' 0 1/2"	1' 9 1/4"	2' 1 1/4"	1' 8 3/4"	2' 2 1/4"
22"	1' 9	1' 11 1/4"	1' 8 1/2"	1' 11 3/4"	1' 8	2' 0 3/4"
21"	1' 8	1' 10	1' 7 3/4"	1' 10 1/2"	1' 7 1/4"	1' 11 1/2"
20"	1' 7	1' 8 3/4"	1' 6 3/4"	1' 9 1/4"	1' 6 1/4"	1' 10

Entfernung/ Distance [ft]	T / Aperture					
	11.3		16.0			
	von / from	bis / to	von / from	bis / to		
inf	6' 9 1/2"	inf	4' 11 1/2"	inf		
60'	6' 2 1/2"	inf	4' 7 3/4"	inf		
30'	5' 8 1/2"	inf	4' 4 1/2"	inf		
25'	5' 6 1/4"	inf	4' 3 1/4"	inf		
20'	5' 3 1/4"	inf	4' 1 3/4"	inf		
15'	4' 10 3/4"	inf	3' 11	inf		
12'	4' 7	inf	3' 8 3/4"	inf		
11'	4' 5 1/4"	inf	3' 7 3/4"	inf		
10'	4' 3 1/2"	inf	3' 6 1/2"	inf		
9'	4' 1 1/2"	inf	3' 5 1/4"	inf		
8'	3' 11 1/4"	inf	3' 3 3/4"	inf		
7' 1/2"	3' 10	inf	3' 2 3/4"	inf		
7'	3' 8 1/2"	inf	3' 2	inf		
6' 1/2"	3' 7	133' 8 1/4"	3' 0 3/4"	inf		
6'	3' 5 1/4"	44' 5 1/4"	2' 11 3/4"	inf		
5' 3/4"	3' 4 1/2"	32' 3 1/4"	2' 11	inf		
5' 1/2"	3' 3 1/2"	24' 10 1/4"	2' 10 1/2"	inf		
5' 1/4"	3' 2 1/2"	19' 10 1/4"	2' 9 3/4"	inf		
5'	3' 1 1/2"	16' 3 1/4"	2' 9	inf		
4' 3/4"	3' 0 1/2"	13' 6 3/4"	2' 8 1/4"	97' 4 1/4"		
4' 1/2"	2' 11 1/2"	11' 5 1/4"	2' 7 1/2"	40' 2 3/4"		
4' 1/4"	2' 10 1/4"	9' 9	2' 6 1/2"	24' 3 3/4"		
4'	2' 9	8' 4 1/4"	2' 5 3/4"	16' 10		
3' 3/4"	2' 7 3/4"	7' 2 1/4"	2' 4 3/4"	12' 6		
3' 1/2"	2' 6 1/2"	6' 2 1/2"	2' 3 3/4"	9' 7 3/4"		
3' 1/4"	2' 5	5' 4 1/4"	2' 2 1/2"	7' 7 3/4"		
3'	2' 3 1/2"	4' 7 1/2"	2' 1 1/4"	6' 2		
2' 3/4"	2' 2	3' 11 3/4"	2' 0	5' 0 1/4"		
2' 1/2"	2' 0 1/4"	3' 5	1' 10 3/4"	4' 1 1/4"		
2' 1/4"	1' 10 1/2"	2' 11	1' 9 1/4"	3' 4 1/4"		
2'	1' 8 1/2"	2' 5 1/2"	1' 7 1/2"	2' 9		
23"	1' 8	2' 4	1' 7	2' 6 3/4"		
22"	1' 7 1/4"	2' 2	1' 6 1/2"	2' 4 1/2"		
21"	1' 6 1/2"	2' 0 1/2"	1' 5 3/4"	2' 2 3/4"		
20"	1' 5 3/4"	1' 11	1' 5 1/4"	2' 0 3/4"		



Schärfentiefentabellen / depth of field tables

Distagon® 1.5/20mm

Digi Prime 20

Tabellen in Feet / tables in feet

Entfernung/ Distance [ft]	T / Aperture					
	1.6		2.0		2.8	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	91' 8 3/4"	inf	74' 10 1/4"	inf	52' 7	inf
60'	36' 6"	171' 11 1/4"	33' 6 1/4"	299' 8 1/4"	28' 3	inf
30'	22' 9 1/4"	44' 1 3/4"	21' 7 1/4"	49' 5 3/4"	19' 3 3/4"	68' 9
25'	19' 9 1/4"	34' 0 1/4"	18' 11	37' 1 1/4"	17' 1 3/4"	46' 10 3/4"
20'	16' 6 3/4"	25' 4	15' 11 1/4"	26' 11 3/4"	14' 8	31' 9
15'	13' 0	17' 9	12' 7 1/4"	18' 6 1/4"	11' 10	20' 7 3/4"
12'	10' 8 1/4"	13' 8	10' 5 1/4"	14' 1 1/4"	9' 11	15' 3 1/4"
11'	9' 11	12' 4 1/4"	9' 8 1/4"	12' 9	9' 2 3/4"	13' 8 1/4"
10'	9' 1 1/4"	11' 1 1/4"	8' 11	11' 4 3/4"	8' 6 1/4"	12' 1 3/4"
9'	8' 3 1/4"	9' 10 1/4"	8' 1 1/4"	10' 1 1/4"	7' 9 1/4"	10' 8 1/4"
8'	7' 5	8' 8 1/4"	7' 3 3/4"	8' 10 1/4"	7' 0 1/4"	9' 3 1/4"
7' 1/2"	7' 0	8' 1	6' 10 3/4"	8' 2 3/4"	6' 8	8' 7 1/4"
7'	6' 6 3/4"	7' 6	6' 5 3/4"	7' 7 1/4"	6' 3 1/4"	7' 11 1/4"
6' 1/2"	6' 1 1/4"	6' 11 1/4"	6' 0 1/4"	7' 0 1/4"	5' 10 1/4"	7' 3 1/4"
6'	5' 8 1/4"	6' 4 1/4"	5' 7 1/4"	6' 5 1/4"	5' 5 1/4"	6' 8
5' 3/4"	5' 5 1/4"	6' 1	5' 4 3/4"	6' 1 3/4"	5' 3 1/4"	6' 4 1/4"
5' 1/2"	5' 2 3/4"	5' 9 1/4"	5' 2 1/4"	5' 10 1/4"	5' 0 3/4"	6' 0 1/4"
5' 1/4"	5' 0 1/4"	5' 6 1/4"	4' 11 1/4"	5' 7	4' 10 1/4"	5' 8 3/4"
5'	4' 9 1/4"	5' 2 3/4"	4' 8 3/4"	5' 3 1/4"	4' 7 3/4"	5' 5 1/4"
4' 3/4"	4' 6 3/4"	4' 11 1/4"	4' 6 1/4"	5' 0 1/4"	4' 5	5' 1 3/4"
4' 1/2"	4' 4	4' 8 1/4"	4' 3 1/4"	4' 8 3/4"	4' 2 1/4"	4' 10
4' 1/4"	4' 1 1/4"	4' 5	4' 0 3/4"	4' 5 1/4"	4' 0	4' 6 1/4"
4'	3' 10 1/4"	4' 1 3/4"	3' 10	4' 2 1/4"	3' 9 1/4"	4' 3
3' 3/4"	3' 7 1/4"	3' 10 1/4"	3' 7 1/4"	3' 10 3/4"	3' 6 3/4"	3' 11 3/4"
3' 1/2"	3' 4 3/4"	3' 7 1/4"	3' 4 1/4"	3' 7 1/4"	3' 4	3' 8 1/4"
3' 1/4"	3' 2	3' 4	3' 1 3/4"	3' 4 1/4"	3' 1 1/4"	3' 5
3'	2' 11 1/4"	3' 1	2' 11	3' 1	2' 10 1/4"	3' 1 1/4"
2' 3/4"	2' 8 1/4"	2' 9 3/4"	2' 8 1/4"	2' 10	2' 7 3/4"	2' 10 1/4"
2' 1/2"	2' 5 1/4"	2' 6 1/4"	2' 5 1/4"	2' 6 3/4"	2' 5	2' 7
2' 1/4"	2' 2 1/4"	2' 3 1/4"	2' 2 1/4"	2' 3 1/4"	2' 2 1/4"	2' 3 3/4"
2'	1' 11 3/4"	2' 0 1/4"	1' 11 1/4"	2' 0 1/4"	1' 11 1/4"	2' 0 1/4"
23"	1' 10 3/4"	1' 11 1/4"	1' 10 3/4"	1' 11 1/4"	1' 10 1/4"	1' 11 1/4"
22"	1' 9 3/4"	1' 10 1/4"	1' 9 3/4"	1' 10 1/4"	1' 9 1/4"	1' 10 1/4"

Entfernung/ Distance [ft]	T / Aperture					
	4.0		5.6		8.0	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	37' 1 1/4"	inf	26' 4	inf	18' 9	inf
60'	23' 1 3/4"	inf	18' 6	inf	14' 5 1/4"	inf
30'	16' 9 3/4"	153' 4 1/4"	14' 3	inf	11' 9	inf
25'	15' 2	74' 10 3/4"	13' 0 3/4"	497' 1 3/4"	10' 11 1/4"	inf
20'	13' 2 1/4"	42' 4 1/4"	11' 7	80' 10 1/4"	9' 10 3/4"	inf
15'	10' 10 1/4"	24' 7	9' 9 1/4"	33' 9 1/4"	8' 6 3/4"	72' 5 1/4"
12'	9' 2 3/4"	17' 3 3/4"	8' 5 1/4"	21' 4	7' 6 1/4"	31' 11 1/4"
11'	8' 7 3/4"	15' 3 1/4"	7' 11 1/4"	18' 3 1/4"	7' 1 3/4"	25' 5 3/4"
10'	8' 0 1/4"	13' 4 1/4"	7' 5 1/4"	15' 7 1/4"	6' 8 3/4"	20' 6
9'	7' 4 3/4"	11' 7 1/4"	6' 10 1/4"	13' 2 3/4"	6' 3 1/4"	16' 6 1/4"
8'	6' 8 1/4"	9' 11 1/4"	6' 3 1/4"	11' 1 1/4"	5' 9 1/4"	13' 4
7' 1/2"	6' 4 1/4"	9' 2 1/4"	6' 0	10' 1 3/4"	5' 6 1/4"	11' 11 1/4"
7'	6' 0	8' 5	5' 8 1/4"	9' 2 3/4"	5' 3 1/4"	10' 8
6' 1/2"	5' 7 3/4"	7' 8 1/4"	5' 4 1/4"	8' 4 1/4"	5' 0	9' 6
6'	5' 3 1/4"	6' 11 3/4"	5' 0 1/4"	7' 6 1/4"	4' 8 1/4"	8' 5
5' 3/4"	5' 1	6' 7 3/4"	4' 10 1/4"	7' 1 1/4"	4' 6 3/4"	7' 11
5' 1/2"	4' 10 3/4"	6' 3 3/4"	4' 8	6' 8 3/4"	4' 5	7' 5 1/4"
5' 1/4"	4' 8 1/4"	5' 11 3/4"	4' 6	6' 4	4' 3	6' 11 1/4"
5'	4' 6	5' 7 3/4"	4' 3 3/4"	5' 11 3/4"	4' 1 1/4"	6' 6
4' 3/4"	4' 3 1/4"	5' 3 3/4"	4' 1 3/4"	5' 7 1/4"	3' 11 1/4"	6' 1
4' 1/2"	4' 1 1/4"	5' 0	3' 11 1/4"	5' 3	3' 9 1/4"	5' 7 3/4"
4' 1/4"	3' 10 3/4"	4' 8 1/4"	3' 9 1/4"	4' 10 3/4"	3' 7 1/4"	5' 3
4'	3' 8 1/4"	4' 4 1/4"	3' 7	4' 6 3/4"	3' 5	4' 10 1/4"
3' 3/4"	3' 5 3/4"	4' 1	3' 4 1/4"	4' 2 3/4"	3' 3	4' 5 3/4"
3' 1/2"	3' 3 1/4"	3' 9 1/4"	3' 2 1/4"	3' 11	3' 0 3/4"	4' 1 1/4"
3' 1/4"	3' 0 3/4"	3' 5 3/4"	2' 11 3/4"	3' 7	2' 10 1/4"	3' 9
3'	2' 10	3' 2 1/4"	2' 9 1/4"	3' 3 1/4"	2' 8 1/4"	3' 5
2' 3/4"	2' 7 1/4"	2' 10 3/4"	2' 6 3/4"	2' 11 3/4"	2' 6	3' 1
2' 1/2"	2' 4 3/4"	2' 7 1/4"	2' 4 1/4"	2' 8	2' 3 1/4"	2' 9
2' 1/4"	2' 2	2' 4	2' 1 1/4"	2' 4 1/4"	2' 1	2' 5 1/4"
2'	1' 11 1/4"	2' 0 3/4"	1' 11	2' 1 1/4"	1' 10 1/4"	2' 1 3/4"
23"	1' 10 1/4"	1' 11 3/4"	1' 10	2' 0	1' 9 3/4"	2' 0 1/4"
22"	1' 9 1/4"	1' 10 1/4"	1' 9 1/4"	1' 11	1' 8 3/4"	1' 11 1/4"
21"	1' 8 1/4"	1' 9 1/4"	1' 8 1/4"	1' 9 3/4"	1' 8	1' 10 1/4"
20"	1' 7 1/4"	1' 8 1/4"	1' 7 1/4"	1' 8 3/4"	1' 7	1' 9



Entfernung/ Distance [ft]	T / Aperture			
	11.3		16.0	
	von / from	bis / to	von / from	bis / to
inf	13' 4 1/4"	inf	9' 7 1/4"	inf
60'	11' 1	inf	8' 4 1/4"	inf
30'	9' 5 1/4"	inf	7' 5 1/4"	inf
25'	8' 11	inf	7' 1 1/4"	inf
20'	8' 2 3/4"	inf	6' 8 1/4"	inf
15'	7' 3 1/4"	inf	6' 0 3/4"	inf
12'	6' 6 3/4"	112' 6	5' 6 3/4"	inf
11'	6' 3 1/4"	58' 9 3/4"	5' 4 1/4"	inf
10'	5' 11 1/4"	37' 4 3/4"	5' 1 1/4"	inf
9'	5' 7 1/4"	25' 10 1/4"	4' 10 1/4"	143' 0
8'	5' 2 3/4"	18' 8 1/4"	4' 7	44' 10 1/4"
7' 1/2"	5' 0 1/4"	16' 0 1/4"	4' 5 1/4"	31' 9 1/4"
7'	4' 9 1/4"	13' 9 1/4"	4' 3 1/4"	23' 10
6' 1/2"	4' 7	11' 10 1/4"	4' 1 1/4"	18' 6
6'	4' 4	10' 2 1/4"	3' 11	14' 8
5' 3/4"	4' 2 1/4"	9' 5 1/4"	3' 9 3/4"	13' 1 3/4"
5' 1/2"	4' 1	8' 9	3' 8 1/4"	11' 9 1/4"
5' 1/4"	3' 11 1/4"	8' 1 1/4"	3' 7 1/4"	10' 7 1/4"
5'	3' 9 3/4"	7' 5 3/4"	3' 6	9' 6 1/4"
4' 3/4"	3' 8 1/4"	6' 10 3/4"	3' 4 1/4"	8' 7 1/4"
4' 1/2"	3' 6 1/4"	6' 4 1/4"	3' 3	7' 9
4' 1/4"	3' 4 3/4"	5' 10	3' 1 3/4"	6' 11 3/4"
4'	3' 2 3/4"	5' 4 1/4"	3' 0	6' 3 1/4"
3' 3/4"	3' 1	4' 10 1/4"	2' 10 1/4"	5' 7 1/4"
3' 1/2"	2' 11	4' 5 1/4"	2' 9	5' 0 1/4"
3' 1/4"	2' 9	4' 0 1/4"	2' 7 1/4"	4' 6
3'	2' 7	3' 7 1/4"	2' 5 1/4"	4' 0
2' 3/4"	2' 4 3/4"	3' 3	2' 3 1/4"	3' 6 1/4"
2' 1/2"	2' 2 3/4"	2' 10 3/4"	2' 1 1/4"	3' 1
2' 1/4"	2' 0 1/4"	2' 6 1/4"	1' 11 1/4"	2' 8 1/4"
2'	1' 10	2' 2 1/4"	1' 9 1/4"	2' 3 3/4"
23"	1' 9 1/4"	2' 1 1/4"	1' 8 1/4"	2' 2 1/4"
22"	1' 8 1/4"	2' 0	1' 7 3/4"	2' 1
21"	1' 7 1/4"	1' 10 3/4"	1' 7	1' 11 1/4"
20"	1' 6 3/4"	1' 9 1/4"	1' 6 1/4"	1' 10 1/4"



Schärfentiefentabellen / depth of field tables

Distagon® 1.5/28mm

Digi Prime 28

Tabellen in Feet / tables in feet

Entfernung/ Distance [ft]	T / Aperture					
	1.6		2.0		2.8	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	167' 9 **	inf	136' 1 1/4"	inf	95' 5 3/4"	inf
60'	44' 3 3/4"	93' 1 1/2"	41' 9 1/4"	106' 11 1/4"	37' 0	160' 11 1/2"
30'	25' 6 1/4"	36' 5	24' 8	38' 4	22' 11 1/4"	43' 6
25'	21' 10	29' 3 1/4"	21' 2 1/2"	30' 6	19' 11	33' 8
20'	17' 11 1/4"	22' 7 1/2"	17' 6	23' 4 1/4"	16' 7 1/2"	25' 1 3/4"
15'	13' 9 3/4"	16' 5	13' 6 3/4"	16' 9 1/2"	13' 0 1/2"	17' 8 1/4"
12'	11' 2 3/4"	12' 10 1/2"	11' 0 3/4"	13' 1 1/4"	10' 8 3/4"	13' 7 3/4"
11'	10' 4 1/4"	11' 8 3/4"	10' 2 3/4"	11' 11	9' 11	12' 4 1/4"
10'	9' 5 3/4"	10' 7 1/4"	9' 4 1/4"	10' 9	9' 1 1/4"	11' 1 1/4"
9'	8' 6 3/4"	9' 5 3/4"	8' 5 3/4"	9' 7 1/4"	8' 3 1/4"	9' 10 1/2"
8'	7' 8	8' 4 1/2"	7' 7	8' 5 1/2"	7' 5	8' 8 1/4"
7' 1/2"	7' 2 1/2"	7' 10	7' 1 3/4"	7' 10 3/4"	7' 0	8' 1
7'	6' 9	7' 3 1/4"	6' 8 1/4"	7' 4 1/4"	6' 6 3/4"	7' 6
6' 1/2"	6' 3 1/4"	6' 8 3/4"	6' 2 3/4"	6' 9 1/2"	6' 1 1/2"	6' 11 1/4"
6'	5' 9 3/4"	6' 2 1/2"	5' 9 1/4"	6' 3	5' 8 1/4"	6' 4 1/4"
5' 3/4"	5' 7	5' 11 1/4"	5' 6 1/2"	5' 11 3/4"	5' 5 1/2"	6' 1
5' 1/2"	5' 4	5' 8	5' 3 3/4"	5' 8 1/2"	5' 2 3/4"	5' 9 1/2"
5' 1/4"	5' 1 1/4"	5' 4 3/4"	5' 1	5' 5 1/4"	5' 0	5' 6 1/4"
5'	4' 10 1/2"	5' 1 3/4"	4' 10	5' 2	4' 9 1/4"	5' 3
4' 3/4"	4' 7 1/2"	4' 10 1/2"	4' 7 1/4"	4' 10 3/4"	4' 6 1/2"	4' 11 1/2"
4' 1/2"	4' 4 3/4"	4' 7 1/4"	4' 4 1/2"	4' 7 1/2"	4' 4	4' 8 1/4"
4' 1/4"	4' 2	4' 4 1/4"	4' 1 3/4"	4' 4 1/2"	4' 1	4' 5
4'	3' 11	4' 1	3' 10 3/4"	4' 1 1/4"	3' 10 1/4"	4' 1 3/4"
3' 3/4"	3' 8 1/4"	3' 9 3/4"	3' 8	3' 10	3' 7 1/2"	3' 10 1/2"
3' 1/2"	3' 5 1/4"	3' 6 3/4"	3' 5	3' 7	3' 4 3/4"	3' 7 1/4"
3' 1/4"	3' 2 1/2"	3' 3 3/4"	3' 2 1/4"	3' 3 3/4"	3' 2	3' 4 1/4"
3'	2' 11 1/2"	3' 0 1/2"	2' 11 1/4"	3' 0 3/4"	2' 11	3' 1
2' 3/4"	2' 8 1/2"	2' 9 1/2"	2' 8 1/2"	2' 9 1/2"	2' 8 1/4"	2' 9 3/4"
2' 1/2"	2' 5 3/4"	2' 6 1/4"	2' 5 1/2"	2' 6 1/2"	2' 5 1/2"	2' 6 1/2"
2' 1/4"	2' 2 3/4"	2' 3 1/4"	2' 2 3/4"	2' 3 1/4"	2' 2 1/2"	2' 3 1/2"
2'	1' 11 3/4"	2' 0 1/4"	1' 11 3/4"	2' 0 1/4"	1' 11 3/4"	2' 0 1/4"
23"	1' 10 3/4"	1' 11 1/4"	1' 10 3/4"	1' 11 1/4"	1' 10 3/4"	1' 11 1/4"
22"	1' 9 3/4"	1' 10 1/4"	1' 9 3/4"	1' 10 1/4"	1' 9 3/4"	1' 10 1/4"
21"	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/4"
20"	1' 7 3/4"	1' 8 1/4"	1' 7 3/4"	1' 8 1/4"	1' 7 3/4"	1' 8 1/4"

Entfernung/ Distance [ft]	T / Aperture					
	4.0		5.6		8.0	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	67' 3 3/4" **	inf	47' 7 1/4"	inf	33' 8 3/4"	inf
60'	31' 10 1/2"	560' 5	26' 8 1/4"	inf	21' 8 3/4"	inf
30'	20' 10 1/2"	53' 9	18' 6 1/2"	80' 7 3/4"	16' 0 1/4"	278' 8
25'	18' 4 1/4"	39' 5 3/4"	16' 6 1/4"	52' 2 1/2"	14' 6	96' 4 1/4"
20'	15' 6 1/4"	28' 2 3/4"	14' 2 1/2"	34' 1 3/4"	12' 8 1/2"	48' 7 3/4"
15'	12' 4 1/4"	19' 1 3/4"	11' 6 1/4"	21' 8	10' 6 1/4"	26' 7 3/4"
12'	10' 3 1/4"	14' 5 3/4"	9' 8 1/4"	15' 10 1/4"	8' 11 3/4"	18' 4 1/4"
11'	9' 6 1/4"	13' 0 1/2"	9' 0 1/4"	14' 1 3/4"	8' 5	16' 1
10'	8' 9 1/4"	11' 7 3/4"	8' 4 1/4"	12' 6 1/4"	7' 9 3/4"	14' 0
9'	8' 0	10' 3 1/2"	7' 7 3/4"	10' 11 1/2"	7' 2 1/2"	12' 1
8'	7' 2 1/2"	9' 0	6' 11	9' 6	6' 6 3/4"	10' 3 3/4"
7' 1/2"	6' 9 3/4"	8' 4 1/2"	6' 6 1/2"	8' 9 1/2"	6' 2 3/4"	9' 5 3/4"
7'	6' 4 3/4"	7' 9	6' 2	8' 1 1/4"	5' 10 1/2"	8' 8 1/4"
6' 1/2"	5' 11 3/4"	7' 1 1/2"	5' 9 1/2"	7' 5 1/4"	5' 6 1/2"	7' 11
6'	5' 6 3/4"	6' 6 1/4"	5' 4 3/4"	6' 9 1/2"	5' 2	7' 2 1/4"
5' 3/4"	5' 4	6' 2 3/4"	5' 2 1/4"	6' 5 1/2"	4' 11 3/4"	6' 9 3/4"
5' 1/2"	5' 1 1/2"	5' 11 1/4"	4' 11 3/4"	6' 1 3/4"	4' 9 1/2"	6' 5 1/2"
5' 1/4"	4' 11	5' 7 3/4"	4' 9 1/2"	5' 10	4' 7 1/4"	6' 1 1/4"
5'	4' 8 1/4"	5' 4 1/4"	4' 7	5' 6 1/4"	4' 5	5' 9 1/4"
4' 3/4"	4' 5 3/4"	5' 0 3/4"	4' 4 1/2"	5' 2 1/2"	4' 2 3/4"	5' 5 1/4"
4' 1/2"	4' 3	4' 9 1/4"	4' 2	4' 11	4' 0 1/2"	5' 1 1/4"
4' 1/4"	4' 0 1/4"	4' 6	3' 11 1/4"	4' 7 1/4"	3' 10	4' 9 1/4"
4'	3' 9 3/4"	4' 2 1/2"	3' 8 3/4"	4' 3 3/4"	3' 7 1/2"	4' 5 1/2"
3' 3/4"	3' 7	3' 11 1/4"	3' 6 1/4"	4' 0 1/4"	3' 5 1/4"	4' 1 3/4"
3' 1/2"	3' 4 1/4"	3' 8	3' 3 1/2"	3' 8 3/4"	3' 2 3/4"	3' 10
3' 1/4"	3' 1 1/2"	3' 4 3/4"	3' 1	3' 5 1/4"	3' 0 1/4"	3' 6 1/2"
3'	2' 10 3/4"	3' 1 1/4"	2' 10 1/4"	3' 2	2' 9 1/2"	3' 2 3/4"
2' 3/4"	2' 8	2' 10	2' 7 1/2"	2' 10 1/2"	2' 7	2' 11 1/4"
2' 1/2"	2' 5 1/4"	2' 7	2' 4 3/4"	2' 7 1/4"	2' 4 1/2"	2' 7 3/4"
2' 1/4"	2' 2 1/4"	2' 3 3/4"	2' 2	2' 4	2' 1 3/4"	2' 4 1/2"
2'	1' 11 1/2"	2' 0 1/2"	1' 11 1/4"	2' 0 3/4"	1' 11	2' 1
23"	1' 10 1/2"	1' 11 1/2"	1' 10 1/4"	1' 11 3/4"	1' 10	2' 0
22"	1' 9 1/2"	1' 10 1/2"	1' 9 1/2"	1' 10 1/2"	1' 9 1/4"	1' 10 3/4"
21"	1' 8 3/4"	1' 9 1/2"	1' 8 1/2"	1' 9 1/2"	1' 8 1/4"	1' 9 3/4"
20"	1' 7 3/4"	1' 8 1/4"	1' 7 1/2"	1' 8 1/2"	1' 7 1/4"	1' 8 3/4"

Entfernung/ Distance [ft]	T / Aperture					
	11.3		16.0			
	von / from	bis / to	von / from	bis / to		
inf	23' 11 1/4"	inf	17' 0 1/2"	inf		
60'	17' 2 3/4"	inf	13' 4 1/2"	inf		
30'	13' 5 1/2"	inf	11' 0	inf		
25'	12' 4 1/2"	inf	10' 3 1/4"	inf		
20'	11' 0 1/2"	123' 3 1/4"	9' 4 1/4"	inf		
15'	9' 4 1/2"	39' 8	8' 1 1/2"	131' 4 1/2"		
12'	8' 1 1/2"	23' 7 1/2"	7' 2 1/4"	40' 2		
11'	7' 8	19' 11 1/2"	6' 10	30' 6 1/2"		
10'	7' 2 1/4"	16' 10	6' 5 1/4"	23' 8 1/2"		
9'	6' 8	14' 1 1/2"	6' 0 1/4"	18' 7 1/2"		
8'	6' 1 1/4"	11' 9	5' 7	14' 8 1/4"		
7' 1/2"	5' 9 3/4"	10' 8 1/4"	5' 4	13' 0 1/2"		
7'	5' 6 1/4"	9' 8	5' 1	11' 6 1/2"		
6' 1/2"	5' 2 1/2"	8' 8 3/4"	4' 10	10' 2 1/2"		
6'	4' 10 3/4"	7' 10	4' 6 3/4"	8' 11 3/4"		
5' 3/4"	4' 8 3/4"	7' 4 3/4"	4' 5	8' 5		
5' 1/2"	4' 6 3/4"	6' 11 3/4"	4' 3 1/4"	7' 10 1/2"		
5' 1/4"	4' 4 3/4"	6' 6 3/4"	4' 1 1/2"	7' 4 1/4"		
5'	4' 2 3/4"	6' 2	3' 11 3/4"	6' 10 1/4"		
4' 3/4"	4' 0 1/2"	5' 9 1/2"	3' 9 3/4"	6' 4 1/2"		
4' 1/2"	3' 10 1/2"	5' 5	3' 8	5' 11		
4' 1/4"	3' 8 1/4"	5' 0 1/2"	3' 6	5' 5 3/4"		
4'	3' 6	4' 8 1/4"	3' 4	5' 0 3/4"		
3' 3/4"	3' 3 3/4"	4' 4	3' 2	4' 7 3/4"		
3' 1/2"	3' 1 1/2"	4' 0	2' 11 3/4"	4' 3 1/4"		
3' 1/4"	2' 11	3' 8	2' 9 3/4"	3' 10 3/4"		
3'	2' 8 3/4"	3' 4 1/4"	2' 7 1/2"	3' 6 1/4"		
2' 3/4"	2' 6 1/4"	3' 0 1/2"	2' 5 1/4"	3' 2		
2' 1/2"	2' 3 3/4"	2' 8 3/4"	2' 3	2' 10		
2' 1/4"	2' 1 1/4"	2' 5	2' 0 1/2"	2' 6		
2'	1' 10 3/4"	2' 1 1/2"	1' 10 1/4"	2' 2 1/4"		
23"	1' 9 3/4"	2' 0 1/2"	1' 9 1/4"	2' 1		
22"	1' 9	1' 11 1/4"	1' 8 1/2"	1' 11 3/4"		
21"	1' 8	1' 10 1/4"	1' 7 3/4"	1' 10 3/4"		
20"	1' 7	1' 9	1' 6 3/4"	1' 9 1/2"		



Schärfentiefentabellen / depth of field tables

Distagon® 1.5/40mm

Digi Prime 40

Tabellen in Feet / tables in feet

Entfernung/ Distance [ft]	T / Aperture					
	1.6		2.0		2.8	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	381' 0 3/4"	inf	295' 1 1/4"	inf	207' 4 1/4"	inf
60'	51' 11	71' 1 1/4"	49' 11 1/2"	75' 1 3/4"	46' 7 3/4"	84' 2
30'	27' 10 1/4"	32' 6	27' 3 1/2"	33' 4	26' 3 1/4"	34' 11 1/2"
25'	23' 6	26' 8 1/2"	23' 1	27' 3	22' 4 1/2"	28' 4
20'	19' 0 1/2"	21' 1	18' 9 1/4"	21' 5	18' 3 1/2"	22' 0 3/4"
15'	14' 5 1/2"	15' 7	14' 3 3/4"	15' 9 1/4"	14' 0 1/4"	16' 1 1/2"
12'	11' 7 3/4"	12' 4 1/2"	11' 6 3/4"	12' 5 3/4"	11' 4 1/2"	12' 8 1/2"
11'	10' 8 1/2"	11' 3 3/4"	10' 7 1/2"	11' 4 3/4"	10' 5 3/4"	11' 7
10'	9' 9	10' 3	9' 8 1/4"	10' 4	9' 6 3/4"	10' 5 3/4"
9'	8' 9 3/4"	9' 2 1/2"	8' 9	9' 3 1/4"	8' 7 3/4"	9' 4 1/2"
8'	7' 10 1/4"	8' 2	7' 9 3/4"	8' 2 1/2"	7' 8 3/4"	8' 3 1/2"
7 1/2"	7' 4 1/2"	7' 7 3/4"	7' 4	7' 8 1/4"	7' 3	7' 9
7'	6' 10 1/2"	7' 1 1/2"	6' 10 1/4"	7' 1 3/4"	6' 9 1/2"	7' 2 3/4"
6 1/2"	6' 4 3/4"	6' 7 1/4"	6' 4 1/2"	6' 7 1/2"	6' 3 3/4"	6' 8 1/4"
6'	5' 11	6' 1	5' 10 3/4"	6' 1 1/4"	5' 10 1/4"	6' 2
5 3/4"	5' 8	5' 10	5' 7 3/4"	5' 10 1/4"	5' 7 1/4"	5' 10 3/4"
5 1/2"	5' 5 1/4"	5' 6 3/4"	5' 5	5' 7	5' 4 1/2"	5' 7 1/2"
5 1/4"	5' 2 1/4"	5' 3 3/4"	5' 2	5' 4	5' 1 1/2"	5' 4 1/2"
5'	4' 11 1/4"	5' 0 3/4"	4' 11	5' 1	4' 10 3/4"	5' 1 1/4"
4 3/4"	4' 8 1/2"	4' 9 3/4"	4' 8 1/4"	4' 9 3/4"	4' 8	4' 10 1/4"
4 1/2"	4' 5 1/2"	4' 6 1/2"	4' 5 1/4"	4' 6 3/4"	4' 5	4' 7
4 1/4"	4' 2 1/2"	4' 3 1/2"	4' 2 1/2"	4' 3 3/4"	4' 2	4' 4
4'	3' 11 1/2"	4' 0 1/2"	3' 11 1/2"	4' 0 1/2"	3' 11 1/4"	4' 0 3/4"
3 3/4"	3' 8 3/4"	3' 9 1/2"	3' 8 1/2"	3' 9 1/2"	3' 8 1/4"	3' 9 3/4"
3 1/2"	3' 5 3/4"	3' 6 1/4"	3' 5 1/2"	3' 6 1/2"	3' 5 1/2"	3' 6 1/2"
3 1/4"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/4"	3' 2 1/2"	3' 3 1/2"
3'	2' 11 3/4"	3' 0 1/4"	2' 11 3/4"	3' 0 1/4"	2' 11 1/2"	3' 0 1/2"
2 3/4"	2' 8 3/4"	2' 9 1/4"	2' 8 3/4"	2' 9 1/4"	2' 8 3/4"	2' 9 1/4"
2 1/2"	2' 5 3/4"	2' 6 1/4"	2' 5 3/4"	2' 6 1/4"	2' 5 3/4"	2' 6 1/4"
2 1/4"	2' 3	2' 3	2' 2 3/4"	2' 3 1/4"	2' 2 3/4"	2' 3 1/4"
2'	2' 0	2' 0	2' 0	2' 0	1' 11 3/4"	2' 0 1/4"
2 3/4"	1' 11	1' 11	1' 11	1' 11	1' 10 3/4"	1' 11 1/4"
2 1/2"	1' 10	1' 10	1' 10	1' 10	1' 9 3/4"	1' 10 1/4"
2 1/4"	1' 9	1' 9	1' 9	1' 9	1' 9	1' 9
2 1/8"	1' 8	1' 8	1' 8	1' 8	1' 8	1' 8

Entfernung/ Distance [ft]	T / Aperture					
	4.0		5.6		8.0	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	146' 1 1/2"	inf	103' 2 1/4"	inf	72' 11 3/4"	inf
60'00	42' 8	101' 4	38' 1	142' 4 1/4"	33' 1	333' 1 1/2"
30'00	24' 11 3/4"	37' 7	23' 4 1/4"	42' 0 1/4"	21' 4 3/4"	50' 5 3/4"
25'00	21' 5	30' 0 1/4"	20' 2 3/4"	32' 9 1/2"	18' 9	37' 8 1/4"
20'00	17' 8	23' 0 3/4"	16' 10	24' 7 3/4"	15' 9 3/4"	27' 3 3/4"
15'00	13' 7 3/4"	16' 7 3/4"	13' 2	17' 5 1/4"	12' 6 1/4"	18' 8 1/2"
12'00	11' 1 1/2"	13' 0 1/4"	10' 9 3/4"	13' 6	10' 4 1/2"	14' 2 3/4"
11'00	10' 3 1/4"	11' 10 1/4"	10' 0	12' 2 3/4"	9' 7 1/2"	12' 10
10'00	9' 4 3/4"	10' 8 1/4"	9' 2	11' 0	8' 10 1/4"	11' 5 3/4"
9'00	8' 6 1/4"	9' 6 1/2"	8' 4	9' 9 1/2"	8' 0 3/4"	10' 2 1/4"
8'00	7' 7 1/2"	8' 5 1/4"	7' 5 1/2"	8' 7 1/2"	7' 3 1/4"	8' 11
71/2"	7' 2	7' 10 1/2"	7' 0 1/4"	8' 0 1/2"	6' 10 1/4"	8' 3 1/2"
7'00	6' 8 1/2"	7' 3 3/4"	6' 7	7' 5 1/2"	6' 5 1/4"	7' 8 1/4"
61/2"	6' 3	6' 9 1/4"	6' 1 3/4"	6' 10 3/4"	6' 0 1/4"	7' 1
6'00	5' 9 1/2"	6' 2 3/4"	5' 8 1/2"	6' 4	5' 7	6' 5 3/4"
53/4"	5' 6 3/4"	5' 11 1/2"	5' 5 3/4"	6' 0 3/4"	5' 4 1/2"	6' 2 1/4"
51/2"	5' 3 3/4"	5' 8 1/4"	5' 3	5' 9 1/4"	5' 1 3/4"	5' 10 3/4"
51/4"	5' 1	5' 5	5' 0 1/4"	5' 6	4' 11 1/4"	5' 7 1/4"
5'00	4' 10 1/4"	5' 1 3/4"	4' 9 1/2"	5' 2 3/4"	4' 8 1/2"	5' 4
43/4"	4' 7 1/2"	4' 10 3/4"	4' 6 3/4"	4' 11 1/2"	4' 6	5' 0 1/2"
41/2"	4' 4 1/2"	4' 7 1/2"	4' 4	4' 8 1/4"	4' 3 1/4"	4' 9
41/4"	4' 1 3/4"	4' 4 1/4"	4' 1 1/4"	4' 5	4' 0 1/2"	4' 5 3/4"
4'00	3' 11	4' 1 1/4"	3' 10 1/2"	4' 1 3/4"	3' 9 3/4"	4' 2 1/4"
33/4"	3' 8	3' 10	3' 7 3/4"	3' 10 1/2"	3' 7 1/4"	3' 11
31/2"	3' 5 1/4"	3' 6 3/4"	3' 4 3/4"	3' 7 1/4"	3' 4 1/2"	3' 7 3/4"
31/4"	3' 2 1/4"	3' 3 3/4"	3' 2	3' 4	3' 1 3/4"	3' 4 1/2"
3'00	2' 11 1/2"	3' 0 1/2"	2' 11 1/4"	3' 0 3/4"	2' 10 3/4"	3' 1 1/4"
23/4"	2' 8 1/2"	2' 9 1/2"	2' 8 1/4"	2' 9 3/4"	2' 8	2' 10
21/2"	2' 5 1/2"	2' 6 1/2"	2' 5 1/2"	2' 6 1/2"	2' 5 1/4"	2' 6 3/4"
21/4"	2' 2 3/4"	2' 3 1/4"	2' 2 1/2"	2' 3 1/2"	2' 2 1/2"	2' 3 3/4"
2'00	1' 11 3/4"	2' 0 1/4"	1' 11 3/4"	2' 0 1/4"	1' 11 1/2"	2' 0 1/2"
23"	1' 10 3/4"	1' 11 1/4"	1' 10 3/4"	1' 11 1/4"	1' 10 1/2"	1' 11 1/2"
22"	1' 9 3/4"	1' 10 1/4"	1' 9 3/4"	1' 10 1/4"	1' 9 1/2"	1' 10 1/2"
21"	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/4"
20"	1' 7 3/4"	1' 8 1/4"	1' 7 3/4"	1' 8 1/4"	1' 7 3/4"	1' 8 1/4"



Entfernung/ Distance [ft]	T / Aperture			
	11.3		16.0	
	von / from	bis / to	von / from	bis / to
inf	51' 8	inf	36' 7 1/4"	inf
60'00	27' 11	inf	22' 10 1/2"	inf
30'00	19' 1 1/2"	70' 6 3/4"	16' 7 3/4"	162' 2 1/2"
25'00	16' 11 3/4"	47' 9 3/4"	15' 0	77' 3
20'00	14' 6 1/2"	32' 2 1/2"	13' 1	43' 3
15'00	11' 8 3/4"	20' 10 1/2"	10' 9 1/4"	24' 11 1/2"
12'00	9' 10	15' 5 1/4"	9' 1 3/4"	17' 6 1/2"
11'00	9' 2	13' 9 3/4"	8' 6 3/4"	15' 5 1/2"
10'00	8' 5 1/2"	12' 3	7' 11 1/2"	13' 6 1/4"
9'00	7' 9	10' 9 1/4"	7' 3 3/4"	11' 8 3/4"
8'00	7' 0	9' 4 1/4"	6' 7 3/4"	10' 0 3/4"
7 1/2"	6' 7 1/2"	8' 8	6' 3 3/4"	9' 3 1/4"
7'00	6' 2 3/4"	8' 0	5' 11 1/2"	8' 6
6 1/2"	5' 10	7' 4 1/4"	5' 7 1/4"	7' 9 1/4"
6'00	5' 5 1/4"	6' 8 1/2"	5' 2 3/4"	7' 0 3/4"
5 3/4"	5' 2 3/4"	6' 4 3/4"	5' 0 1/2"	6' 8 1/2"
5 1/2"	5' 0 1/4"	6' 1	4' 10 1/4"	6' 4 1/4"
5 1/4"	4' 9 3/4"	5' 9 1/4"	4' 8	6' 0 1/4"
5'00	4' 7 1/4"	5' 5 3/4"	4' 5 1/2"	5' 8 1/4"
4 3/4"	4' 4 3/4"	5' 2	4' 3 1/4"	5' 4 1/2"
4 1/2"	4' 2 1/4"	4' 10 1/2"	4' 0 3/4"	5' 0 1/2"
4 1/4"	3' 11 3/4"	4' 7	3' 10 1/4"	4' 8 3/4"
4'00	3' 9	4' 3 1/2"	3' 8	4' 5
3 3/4"	3' 6 1/2"	4' 0	3' 5 1/2"	4' 1 1/4"
3 1/2"	3' 3 3/4"	3' 8 1/2"	3' 3	3' 9 3/4"
3 1/4"	3' 1	3' 5 1/4"	3' 0 1/4"	3' 6
3'00	2' 10 1/2"	3' 1 3/4"	2' 9 3/4"	3' 2 1/2"
2 3/4"	2' 7 3/4"	2' 10 1/2"	2' 7 1/4"	2' 11
2 1/2"	2' 5	2' 7 1/4"	2' 4 1/2"	2' 7 3/4"
2 1/4"	2' 2 1/4"	2' 4	2' 1 3/4"	2' 4 1/4"
2'00	1' 11 1/4"	2' 0 3/4"	1' 11	2' 1
23"	1' 10 1/2"	1' 11 3/4"	1' 10 1/4"	2' 0
22"	1' 9 1/2"	1' 10 1/2"	1' 9 1/4"	1' 10 3/4"
21"	1' 8 1/2"	1' 9 1/2"	1' 8 1/4"	1' 9 3/4"
20"	1' 7 1/2"	1' 8 1/2"	1' 7 1/2"	1' 8 3/4"



Schärfentiefentabellen / depth of field tables

Distagon® 1.5/70mm

Digi Prime 70

Tabellen in Feet / tables in feet

Entfernung/ Distance [ft]	T / Aperture					
	1.6		2.0		2.8	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	1094' 5 1/2"	inf	901' 8 1/2"	inf	628' 1 3/4"	inf
60'	56' 10 1/4"	63' 6 1/4"	56' 2 3/4"	64' 3 3/4"	54' 8 3/4"	66' 4 3/4"
30'	29' 2 1/4"	30' 10 1/4"	29' 0 1/4"	31' 0 3/4"	28' 7 1/4"	31' 6 1/2"
25'	24' 5 1/4"	25' 7 1/4"	24' 3 3/4"	25' 8 3/4"	24' 0 1/4"	26' 0 3/4"
20'	19' 7 1/2"	20' 4 1/2"	19' 6 3/4"	20' 5 1/2"	19' 4 1/2"	20' 8 1/4"
15'	14' 9 1/2"	15' 2 1/2"	14' 9	15' 3 1/4"	14' 7 3/4"	15' 4 1/2"
12'	11' 10 1/4"	12' 1 3/4"	11' 10	12' 2	11' 9 1/4"	12' 3
11'	10' 10 1/2"	11' 1 1/2"	10' 10 1/4"	11' 1 3/4"	10' 9 1/2"	11' 2 1/2"
10'	9' 10 3/4"	10' 1 1/4"	9' 10 1/2"	10' 1 1/2"	9' 10	10' 2
9'	8' 11	9' 1	8' 10 3/4"	9' 1 1/4"	8' 10 1/2"	9' 1 3/4"
8'	7' 11 1/4"	8' 0 3/4"	7' 11	8' 1	7' 10 3/4"	8' 1 1/4"
7 1/2"	7' 5 1/4"	7' 6 3/4"	7' 5 1/4"	7' 6 3/4"	7' 4 3/4"	7' 7 1/4"
7'	6' 11 1/2"	7' 0 1/2"	6' 11 1/4"	7' 0 3/4"	6' 11	7' 1
6 1/2"	6' 5 1/2"	6' 6 1/2"	6' 5 1/2"	6' 6 1/2"	6' 5 1/4"	6' 7
6'	5' 11 1/2"	6' 0 1/2"	5' 11 1/2"	6' 0 1/2"	5' 11 1/4"	6' 0 3/4"
5 3/4"	5' 8 1/2"	5' 9 1/2"	5' 8 1/2"	5' 9 1/2"	5' 8 1/4"	5' 9 3/4"
5 1/2"	5' 5 3/4"	5' 6 1/4"	5' 5 1/2"	5' 6 1/2"	5' 5 1/4"	5' 6 3/4"
5 1/4"	5' 2 3/4"	5' 3 1/4"	5' 2 1/2"	5' 3 1/2"	5' 2 1/2"	5' 3 1/2"
5'	4' 11 3/4"	5' 0 1/4"	4' 11 3/4"	5' 0 1/4"	4' 11 1/2"	5' 0 1/2"
4 3/4"	4' 8 3/4"	4' 9 1/4"	4' 8 3/4"	4' 9 1/4"	4' 8 1/2"	4' 9 1/2"
4 1/2"	4' 5 3/4"	4' 6 1/4"	4' 5 3/4"	4' 6 1/4"	4' 5 1/2"	4' 6 1/2"
4 1/4"	4' 2 3/4"	4' 3 1/4"	4' 2 3/4"	4' 3 1/4"	4' 2 1/2"	4' 3 1/2"
4'	3' 11 3/4"	4' 0 1/4"	3' 11 3/4"	4' 0 1/4"	3' 11 3/4"	4' 0 1/4"
3 3/4"	3' 8 3/4"	3' 9 1/4"	3' 8 3/4"	3' 9 1/4"	3' 8 3/4"	3' 9 1/4"
3 1/2"	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/4"
3 1/4"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/4"
3'	3' 0	3' 0	2' 11 3/4"	3' 0 1/4"	2' 11 3/4"	3' 0 1/4"
2 3/4"	2' 9	2' 9	2' 9	2' 9	2' 8 3/4"	2' 9 1/4"
2 1/2"	2' 6	2' 6	2' 6	2' 6	2' 5 3/4"	2' 6 1/4"
2 1/4"	2' 3	2' 3	2' 3	2' 3	2' 3	2' 3
2'	2' 0	2' 0	2' 0	2' 0	2' 0	2' 0
23"	1' 11	1' 11	1' 11	1' 11	1' 11	1' 11
22"	1' 10	1' 10	1' 10	1' 10	1' 10	1' 10
21"	1' 9	1' 9	1' 9	1' 9	1' 9	1' 9
20"	1' 8	1' 8	1' 8	1' 8	1' 8	1' 8
19"	1' 7	1' 7	1' 7	1' 7	1' 7	1' 7
18"	1' 6	1' 6	1' 6	1' 6	1' 6	1' 6
17"	1' 5	1' 5	1' 5	1' 5	1' 5	1' 5
16"	1' 4	1' 4	1' 4	1' 4	1' 4	1' 4
15"	1' 3	1' 3	1' 3	1' 3	1' 3	1' 3
14"	1' 2	1' 2	1' 2	1' 2	1' 2	1' 2
13"	1' 1	1' 1	1' 1	1' 1	1' 1	1' 1



Entfernung/ Distance [ft]	T / Aperture					
	4.0		5.6		8.0	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	440' 10	inf	310' 6 1/4"	inf	219' 1 3/4"	inf
60'	52' 9	69' 6 1/2"	50' 2 1/2"	74' 6 1/4"	47' 0	82' 10 1/2"
30'	28' 0 3/4"	32' 2 3/4"	27' 3 3/4"	33' 3 1/4"	26' 4	34' 10 1/4"
25'	23' 7 1/2"	26' 6 1/2"	23' 1 1/4"	27' 3	22' 4 3/4"	28' 3 1/2"
20'	19' 1 1/4"	20' 11 3/4"	18' 9	21' 5	18' 3 1/2"	22' 0 3/4"
15'	14' 5 3/4"	15' 6 1/2"	14' 3 1/2"	15' 9 1/2"	14' 0	16' 1 3/4"
12'	11' 8	12' 4 1/4"	11' 6 1/2"	12' 6	11' 4 1/4"	12' 8 3/4"
11'	10' 8 1/2"	11' 3 1/2"	10' 7 1/4"	11' 5	10' 5 1/4"	11' 7 1/4"
10'	9' 9 1/4"	10' 3	9' 8	10' 4 1/4"	9' 6 1/2"	10' 6
9'	8' 9 3/4"	9' 2 1/2"	8' 8 3/4"	9' 3 1/2"	8' 7 1/2"	9' 5
8'	7' 10 1/4"	8' 2	7' 9 1/2"	8' 2 3/4"	7' 8 1/2"	8' 4
7 1/2"	7' 4 1/2"	7' 7 3/4"	7' 3 3/4"	7' 8 1/2"	7' 2 3/4"	7' 9 1/2"
7'	6' 10 1/2"	7' 1 1/2"	6' 10	7' 2	6' 9 1/4"	7' 3
6 1/2"	6' 4 3/4"	6' 7 1/4"	6' 4 1/4"	6' 7 3/4"	6' 3 1/2"	6' 8 1/2"
6'	5' 11	6' 1	5' 10 1/2"	6' 1 1/2"	5' 10	6' 2 1/4"
5 3/4"	5' 8	5' 10	5' 7 1/2"	5' 10 1/2"	5' 7	5' 11
5 1/2"	5' 5	5' 7	5' 4 3/4"	5' 7 1/4"	5' 4 1/4"	5' 8
5 1/4"	5' 2 1/4"	5' 3 3/4"	5' 1 3/4"	5' 4 1/4"	5' 1 1/4"	5' 4 3/4"
5'	4' 11 1/4"	5' 0 3/4"	4' 11	5' 1	4' 10 1/2"	5' 1 1/2"
4 3/4"	4' 8 1/4"	4' 9 3/4"	4' 8	4' 10	4' 7 3/4"	4' 10 1/2"
4 1/2"	4' 5 1/2"	4' 6 3/4"	4' 5 1/4"	4' 7	4' 4 3/4"	4' 7 1/4"
4 1/4"	4' 2 1/2"	4' 3 1/2"	4' 2 1/4"	4' 3 3/4"	4' 2	4' 4 1/4"
4'	3' 11 1/2"	4' 0 1/2"	3' 11 1/4"	4' 0 3/4"	3' 11	4' 1
3 3/4"	3' 8 1/2"	3' 9 1/2"	3' 8 1/2"	3' 9 3/4"	3' 8	3' 10
3 1/2"	3' 5 1/2"	3' 6 1/2"	3' 5 1/2"	3' 6 1/2"	3' 5 1/4"	3' 6 3/4"
3 1/4"	3' 2 3/4"	3' 3 1/4"	3' 2 1/2"	3' 3 1/2"	3' 2 1/4"	3' 3 3/4"
3'	2' 11 3/4"	3' 0 1/4"	2' 11 1/2"	3' 0 1/2"	2' 11 1/2"	3' 0 1/2"
2 3/4"	2' 8 3/4"	2' 9 1/4"	2' 8 3/4"	2' 9 1/4"	2' 8 1/2"	2' 9 1/2"
2 1/2"	2' 5 3/4"	2' 6 1/4"	2' 5 3/4"	2' 6 1/4"	2' 5 1/2"	2' 6 1/2"
2 1/4"	2' 2 3/4"	2' 3 1/4"	2' 2 3/4"	2' 3 1/4"	2' 2 3/4"	2' 3 1/4"
2'	1' 11 3/4"	2' 0 1/4"	1' 11 3/4"	2' 0 1/4"	1' 11 3/4"	2' 0 1/4"
23"	1' 10 3/4"	1' 11 1/4"	1' 10 3/4"	1' 11 1/4"	1' 10 3/4"	1' 11 1/4"
22"	1' 9 3/4"	1' 10	1' 9 3/4"	1' 10 1/4"	1' 9 3/4"	1' 10 1/4"
21"	1' 9	1' 9	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/4"
20"	1' 8	1' 8	1' 7 3/4"	1' 8 1/4"	1' 7 3/4"	1' 8 1/4"
19"	1' 7	1' 7	1' 6 3/4"	1' 7 1/4"	1' 6 3/4"	1' 7 1/4"
18"	1' 6	1' 6	1' 6	1' 6 1/4"	1' 5 3/4"	1' 6 1/4"
17"	1' 5	1' 5	1' 5	1' 5	1' 4 3/4"	1' 5 1/4"
16"	1' 4	1' 4	1' 4	1' 4	1' 3 3/4"	1' 4 1/4"
15"	1' 3	1' 3	1' 3	1' 3	1' 2 3/4"	1' 3 1/4"
14"	1' 2	1' 2	1' 2	1' 2	1' 2	1' 2
13"	1' 1	1' 1	1' 1	1' 1	1' 1	1' 1

Entfernung/ Distance [ft]	T / Aperture			
	11.3		16.0	
	von / from	bis / to	von / from	bis / to
inf	154' 9	inf	109' 4	inf
60'	43' 1 1/2"	98' 5 1/4"	38' 7 1/4"	134' 0
30'	25' 0 1/2"	37' 4 1/2"	23' 5 1/4"	41' 7 1/4"
25'	21' 5 1/2"	29' 11 1/4"	20' 3	32' 7 1/4"
20'	17' 7 3/4"	23' 0 3/4"	16' 10	24' 7 1/2"
15'	13' 7 1/2"	16' 8	13' 1 1/2"	17' 5 3/4"
12'	11' 1 1/4"	13' 0 3/4"	10' 9 1/4"	13' 6 3/4"
11'	10' 2 3/4"	11' 10 3/4"	9' 11 1/4"	12' 3 1/2"
10'	9' 4 1/4"	10' 8 3/4"	9' 1 1/2"	11' 0 3/4"
9'	8' 5 3/4"	9' 7	8' 3 1/4"	9' 10 1/4"
8'	7' 7	8' 5 3/4"	7' 5	8' 8 1/4"
7 1/2"	7' 1 1/2"	7' 11	6' 11 3/4"	8' 1 1/4"
7'	6' 8	7' 4 1/4"	6' 6 1/2"	7' 6 1/4"
6 1/2"	6' 2 1/2"	6' 9 3/4"	6' 1 1/4"	6' 11 1/2"
6'	5' 9	6' 3 1/4"	5' 8	6' 4 1/2"
5 3/4"	5' 6 1/4"	6' 0	5' 5 1/4"	6' 1 1/4"
5 1/2"	5' 3 1/2"	5' 8 3/4"	5' 2 1/2"	5' 10
5 1/4"	5' 0 3/4"	5' 5 1/2"	4' 11 3/4"	5' 6 1/2"
5'	4' 10	5' 2 1/4"	4' 9	5' 3 1/4"
4 3/4"	4' 7	4' 11	4' 6 1/4"	5' 0
4 1/2"	4' 4 1/4"	4' 7 3/4"	4' 3 1/2"	4' 8 3/4"
4 1/4"	4' 1 1/2"	4' 4 3/4"	4' 0 3/4"	4' 5 1/4"
4'	3' 10 1/2"	4' 1 1/2"	3' 10	4' 2
3 3/4"	3' 7 3/4"	3' 10 1/4"	3' 7 1/4"	3' 10 3/4"
3 1/2"	3' 5	3' 7 1/4"	3' 4 1/2"	3' 7 3/4"
3 1/4"	3' 2	3' 4	3' 1 3/4"	3' 4 1/2"
3'	2' 11 1/4"	3' 0 3/4"	2' 10 3/4"	3' 1 1/4"
2 3/4"	2' 8 1/4"	2' 9 3/4"	2' 8	2' 10
2 1/2"	2' 5 1/2"	2' 6 1/2"	2' 5 1/4"	2' 7
2 1/4"	2' 2 1/2"	2' 3 1/2"	2' 2 1/4"	2' 3 3/4"
2'	1' 11 1/2"	2' 0 1/2"	1' 11 1/2"	2' 0 1/2"
23"	1' 10 3/4"	1' 11 1/2"	1' 10 1/2"	1' 11 1/2"
22"	1' 9 3/4"	1' 10 1/4"	1' 9 1/2"	1' 10 1/2"
21"	1' 8 3/4"	1' 9 1/4"	1' 8 1/2"	1' 9 1/2"
20"	1' 7 3/4"	1' 8 1/4"	1' 7 1/2"	1' 8 1/2"
19"	1' 6 3/4"	1' 7 1/4"	1' 6 1/2"	1' 7 1/2"
18"	1' 5 3/4"	1' 6 1/4"	1' 5 3/4"	1' 6 1/4"
17"	1' 4 3/4"	1' 5 1/4"	1' 4 3/4"	1' 5 1/4"
16"	1' 3 3/4"	1' 4 1/4"	1' 3 3/4"	1' 4 1/4"
15"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/4"
14"	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/4"
13"	1' 0 3/4"	1' 1 1/4"	1' 0 3/4"	1' 1 1/4"